

Printing date 19.07.2019 Revision: 19.07.2019

1 Identification

Product Name: CASTING PLASTER

Recommended Use of the Chemical and Restriction on Use: Casting agent, plaster

Details of Manufacturer or Importer:

USG Boral Building Products Pty Limited (ACN 004 231 976)

251 Salmon Street Port Melbourne VIC 3207

Phone Number: 1800 811 222

Emergency telephone number: National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

The substance is not classified, according to the Globally Harmonised System (GHS).

Signal Word None

Hazard Statements None

Precautionary Statements None

3 Composition and Information on Ingredients

Chemical Characterisation: Substances

CAS No. Description

This mixture does not contain any notifiable substances.

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation and coughing. Skin Contact: May cause irritation, redness, pain and rash.

Eye Contact: May cause eye irritation, lachrymation, pain and redness.

Ingestion: May cause gastrointestinal irritation, nausea, vomiting, headache and diarrhoea.

(Contd. on page 2)

Printing date 19.07.2019 Revision: 19.07.2019

Product Name: CASTING PLASTER

(Contd. of page 1)

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Non flammable. No fire or explosion hazard exists. May evolve sulphur oxides when heated to decomposition.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved class P1 (particulate) respirator, PVC or rubber gloves and eye and face protectors for protection

against dust. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Clean the area using an industrial vacuum cleaner. Wet mopping and wiping is acceptable if vacuuming is not workable. Avoid generating dust.

Remove promptly all visible waste materials to avoid being trampled and spread about, place in plastic bags or other containers which prevent fibre and/or dust emission, and dispose of in accordance with local waste disposal authority requirements.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended when cutting or sanding finished product to avoid eye or skin contact and inhalation of dust.

Care should be taken to minimise dust release when opening boxes or bags.

In order to minimise dust generation when cutting or sanding the finished product hand tools are recommended in preference to power tools. If power tools are used, these should be fitted with dust extraction or other effective local ventilation. Always wash hands after use.

Conditions for Safe Storage:

Store in a cool, dry, well ventilated area. Ensure containers are tightly sealed and adequately labelled. Protect from physical damage, heat, sparks, open flames and other ignition sources. Keep away from aluminium, diazomethane, oxidising agents and phosphorus.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting hand protection, the product should comply with relevant performance criteria. For example, gloves

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 19.07.2019 Revision: 19.07.2019

Product Name: CASTING PLASTER

(Contd. of page 2)

should meet a suitable level of abrasion resistance to provide protection against hazards of a workplace. Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Powder
Colour: White
Odour: Slight odour

Odour Threshold:

pH-Value:

Melting point/freezing point:

Initial Boiling Point/Boiling Range:

No information available

No information available

No information available

Flash Point: Not applicable

Flammability: Product is not flammable.

Auto-ignition Temperature: No information available

Decomposition Temperature: No information available

Explosion Limits:

Lower: Not applicable Upper: Not applicable

Vapour Pressure:No information availableDensity:0.80 - 0.82 g/cm³ (bulk)

Relative Density: 2.6 - 2.7

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: 0.2 %

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials:

Aluminium (when heated), diazomethane, phosphorus (at high temperatures) and oxidising agents.

Hazardous Decomposition Products: Sulphur oxides.

11 Toxicological Information

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification: No information available

Acute Health Effects

Inhalation: May cause respiratory irritation and coughing. **Skin:** May cause irritation, redness, pain and rash.

Eye: May cause eye irritation, lachrymation, pain and redness.

Ingestion: May cause gastrointestinal irritation, nausea, vomiting, headache and diarrhoea.

(Contd. on page 4)

Printing date 19.07.2019 Revision: 19.07.2019

Product Name: CASTING PLASTER

(Contd. of page 3)

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity:

The main component/s of this product are not anticipated to cause any adverse effects to plants or animals.

Aquatic toxicity: No information available

Persistence and Degradability: No information available Bioaccumulative Potential: No information available

Mobility in Soil: No information available **Other adverse effects:** No information available

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated
 Proper Shipping Name Not regulated
 Dangerous Goods Class Not regulated
 Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Chemical Substances: All ingredients are listed.

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

(Contd. on page 5)

Printing date 19.07.2019 Revision: 19.07.2019

Product Name: CASTING PLASTER

(Contd. of page 4)

Additional Information:

USA California Proposition 65:

This product does not contain a chemical known to the Sate of California to cause cancer, birth defects or other reproductive harm.

16 Other Information

Date of Preparation or Last Revision: 19.07.2019

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC_{so}: Lethal concentration, 50 percent

LD_{so}: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Data altered compared to the previous version:

Section 1: Phone Number.

Section 6: Personal Precautions, Protective Equipment and Emergency Procedures.

Section 7: Precautions for Safe Handling.

Section 8: Respiratory Protection.

Section 11: Chronic Health Effects.

Section 15: Australian Inventory of Chemical Substances.

Section 15: Additional Information.

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. USG Boral Building Products Pty Limited makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.